

RESOLUTION 2009-51

6-10-09

RESOLUTION BY THE PUBLIC WORKS AND CAPITAL IMPROVEMENTS COMMITTEE AUTHORIZING THE PURCHASE OF INTERNATIONAL CONSTRUCTION DUMP TRUCK AND PLOW, BOX, SPREADER AND RELATED EQUIPMENT FROM MONROE

WHEREAS, the Village Board has determined that it would be in the best interests of the Village to purchase a new dump truck, plow, box, spreader and related equipment as a sole source purchase at a cost estimated at approximately \$130,204 and that the money for said purchase shall come from funds borrowed as part of the 2009 bond issue; and

WHEREAS, the Village Board has determined that the trade in of the old truck and plow is not cost effective and no trade in is authorized at this time.

NOW THEREFORE, the Village Board of the Village of Sturtevant, Racine County, Wisconsin does hereby resolve:

1. That the purchase of an International 2009 7400 SBA 4X2 (SA625) Construction Dump Truck and plow, box, spreader and related equipment from Monroe, as set forth in Exhibit A which is attached hereto and incorporated herein at total cost not to exceed \$131,000 is authorized and approved.
2. That this equipment shall be purchased using the proceeds of the 2009 bond issue.
3. That the Village President and the Village Clerk are authorized to execute any sales contracts or other documents necessary to carry out the intent of this resolution.

Adopted by the Village Board of the Village of Sturtevant, Racine County, Wisconsin, this 16th day of June, 2009.

Village of Sturtevant


By _____
Steven Jansen, President

Attest _____
Mary Hanstad, Village Clerk

Prepared For:
 VILLAGE OF STURTEVANT
 ART IVERSON
 2801 EIGHTY-NINTH ST.
 STURTEVANT, WI 53177-
 (414)886 - 7200
 Reference ID: N/A

Presented By:
 LAKESIDE INTL, LLC
 Robert C Eckman
 11000 W SILVER SPRING RD
 MILWAUKEE WI 53225 -
 (414)353-4800

Thank you for the opportunity to provide you with the following quotation on a new International truck. I am sure the following detailed specification will meet your operational requirements, and I look forward to serving your business needs.



Model Profile
2010 7400 SBA 4X2 (SA625)

APPLICATION:	Construction Dump
MISSION:	Requested GVWR: 37000. Calc. GVWR: 41000 Calc. Start / Grade Ability: 43.50% / 3.24% @ 55 MPH Calc. Geared Speed: 62.9 MPH
DIMENSION:	Wheelbase: 152.00, CA: 84.90, Axle to Frame: 59.00
ENGINE, DIESEL:	{International MaxxForce DT} 300 HP, 860 lb-ft Torque @ 1400 RPM, 2400 RPM Governed Speed, # 2 Bell Housing
TRANSMISSION, AUTOMATIC:	{Allison 3500_RDS_P} 4th Generation Controls; Wide Ratio, 5-Speed, With Overdrive; On/Off Hwy; Includes Oil Level Sensor, With PTO Provision, Less Retarder, With 80,000-lb GVW & GCW Max.
CLUTCH:	Omit Item (Clutch & Control)
AXLE, FRONT NON-DRIVING:	{Dana Spicer I-180W} Wide Track, I-Beam Type, 18,000-lb Capacity
AXLE, REAR, SINGLE:	{Dana Spicer S23-170D} Single Reduction, 23,000-lb Capacity, With R Wheel Ends, Driver Controlled Locking Differential Gear Ratio: 6.14
CAB:	Conventional
TIRE, FRONT:	(2) 315/80R22.5 XZY-3 (MICHELIN) 486 rev/mile, load range L, 20 ply
TIRE, REAR:	(4) 11R22.5 XDE M/S (MICHELIN) 497 rev/mile, load range H, 16 ply
SUSPENSION, RR, SPRING, SINGLE:	Vari-Rate; 31,000-lb Capacity, Includes 4500-lb Capacity Multileaf Auxiliary
PAINT:	Cab schematic 100GN Location 1: 4039, Fire Yellow (Prem) Chassis schematic N/A

MONROE TRUCK EQUIP - GREEN BAY
1151 WEST MAIN AVE
DE PERE WI 54115
800-848-5400 FAX 920-336-8118

CUSTOMER : 9020

Ship to: STURTEVANT VILLAGE OF
ATTN: CHUCK
2801 EIGHTY NINETH STREET
Sturtevant WI 53177

QUOTE # 32611

DATE: 06/02/09

CUST PO #

TERMS: C.O.D.

SALES REP: 28

QUOTED BY:

WE ARE PLEASED TO QUOTE FOR ACCEPTANCE WITHIN 30 DAYS FROM THE DATE OF QUOTE
PRICES & TERMS IN ACCORDANCE WITH SPECIFICATIONS DESCRIBED IN QUOTE. STATE AND
FEDERAL TAXES WILL BE ADDED WHERE APPLICABLE.

MODEL AND DESCRIPTION

CRYSTEEL HD DUMP BODY

STANDARD EQUIPMENT:

- 5-7 YD
- 50" FRONT, 26" SIDE, 36" REAR
- 7 GAUGE A1011 SIDES AND ENDS
- MANUAL TAILGATE WITH FULL RIBBED DOUBLE WALLED BRACING
- 1/4" AR400 (180000 PSI TENSILE; 145000 PSI YIELD) FLOOR WITH WESTERN UNDERSTRUCTURE (CROSSMEMBERLESS)
- RECESSED STOP/TURN/ TAIL AND BACKUP LIGHTS WITH SEALED WIRING HARNESS AND JUNCTION BOX
- (2) BODY PROPS
- 5 STEP POWDER COAT PROCESS OMAHA ORNAGE DUMP BODY
- 5 YEAR WARRANTY
- 10' 5-7YD

ADDITIONAL LARGE DUMP BODY OPTIONS:

- BACKUP ALARM, FS TARGET TECH 12V 97DB
- 1/2 X 7 GA. X 84" CAB SHIELD 100% WELDED
- GRAB HANDLE
- PINTLE MOUNT; 1/2" PLATE WITH 3/4" D-RINGS (NO HITCH)
- BH8 2000; RIGID MOUNT 2" PINTLE BALL HITCH (4 BOLT)
- ONE PAIR 10' X 8" POLY SIDE BOARDS; INCLUDES CENTER SUPPORT
- SINGLE RUNG LADDER DRIVERS SIDE FRONT BELOW RUB RAIL
- FLEET ENGINEERING POLY FRAME MOUNTED FENDERS WITH STEEL BRACKETS

CRYSTEEL RC860 HOIST LH

STANDARD EQUIPMENT:

- ROLLER-COMBO UNDERBODY SUBFRAME HOIST
- FULLY GREASABLE HOIST
- BODY-UP LIGHT
- CYLINDERS MADE FROM HIGH STRENGTH STEEL TUBING AND FEATURES CHROMED SHAFTS
- CLOSE TOLERANCE PISTONS AND HIGH PRESSURE SEALS
- INTERNAL CYLINDER BY-PASS (PROTECTS THE SYSTEM)
- 5 YEAR WARRANTY
- ***10' RC860 ROLLER COMBO SUBFRAME, 22.4 TON CAPACITY, LESS HYDRAULICS

*** CONTINUED NEXT PAGE ***

MONROE TRUCK EQUIP - GREEN BAY
1151 WEST MAIN AVE
DE PERE WI 54115
800-848-5400 FAX 920-336-8118

CUSTOMER : 9020

Ship to: STURTEVANT VILLAGE OF
ATTN: CHUCK
2801 EIGHTY NINETH STREET
Sturtevant WI 53177

QUOTE # 32611

DATE: 06/02/09

CUST PO #

TERMS: C.O.D.

SALES REP: 28

QUOTED BY:

MTE TRUCK PORTION PLOW HITCH

STANDARD EQUIPMENT:

- PIN AND LOOP
- NON TILTING
- LEVER RELEASE
- ADJUSTABLE LIFT ARM
- POWDER COAT BLACK

MC2075; MONROE PIN & LOOP QUICK HITCH W/O UNIVERSAL MOUNTS; TRUCK PORTION

ADDITIONAL PLOW HITCH OPTIONS:

PLOW LIGHTS W/ SIGNALS MTD ON FACTORY MIRROR BRACKET ON FENDER; STAINLESS STEEL

MONROE FULL MOLDBOARD TRIP REVERSIBLE PLOW

STANDARD EQUIPMENT:

- 10 GAUGE ROLL FORMED STRAIGHT MOLDBOARD
- (6) 1/2" X 4" TAPERED, ONE-PIECE FLAME CUT RIBS
- 2" X 3" X 3/8" TOP MOLDBOARD ANGLE
- 4" X 4" X 3/4" BOTTOM MOLDBOARD ANGLE
- HORIZONTAL MOLDBOARD BRACE ANGLES
- 5/8" X 8" ONE-PIECE TOP PUNCH CUTTING EDGE
- DUAL COMPRESSION TRIP SPRING ASSEMBLIES
- 4" X 4" X 3/8" CROSS-TUBE SUPPORT
- 3-1/2" X 3-1/2" X 1/2" SEMI-CIRCLE
- (2) 4" X 10" DOUBLE ACTING POWER REVERSE CYLINDERS WITH CUSHION VALVE
- BUILT-IN MONROE LEVEL LIFT ASSEMBLY
- MOLDBOARD AND PUSHFRAME 100% CONTINUOUSLY WELDED
- MOLDBOARD POWDER COATED ORANGE
- PUSH FRAME POWDER COATED BLACK

***MP41R11-ISCT; FULL MOLDBOARD TRIP REVERSIBLE PLOW; 1650#

ADDITIONAL MTE PLOW OPTIONS:

- WRAP-AROUND CURB GUARD (EACH), S&I INSTALLED; 20#
- WRAP-AROUND CURB GUARD (EACH), S&I INSTALLED; 20#
- 36" FLUORESCENT ORANGE FLEXIBLE PLASTIC MARKERS, SHIPPED LOOSE
- SCREW ADJUSTABLE PARK JACK; S&I INSTALLED; 30#
- QCP LOOP HITCH (WELDED ON TYPE) PLOW PORTION; 80#
- 11' RUBBER SNOW DEFLECTOR, 12", S/I INSTALLED

MONROE DFPW HD DOUBLE FUNCTION PATROL WING

STANDARD EQUIPMENT:

*** CONTINUED NEXT PAGE ***

MONROE TRUCK EQUIP - GREEN BAY
1151 WEST MAIN AVE
DE PERE WI 54115
800-848-5400 FAX 920-336-8118

CUSTOMER : 9020

QUOTE # 32611

Ship to: STURTEVANT VILLAGE OF
ATTN: CHUCK
2801 EIGHTY NINETH STREET
Sturtevant WI 53177

DATE: 06/02/09
CUST PO #
TERMS: C.O.D.
SALES REP: 28
QUOTED BY:

- RIGHT SIDE MOUNT
- SINGLE PUSH ARM WITH REAR LIFT
- TORSION TRIP MOLDBOARD
- FRONT POST
- REAR MOUNTINED CROSS TUBE
- STANDARD SIDE PLATES
- 3/16" TAPERED MOLDBOARD - 29" INTAKE 39" DISCHARGE
- WING STOP
- MOLDBOARD POWDER COATED ORANGE
- HARDWARE POWDER COATED BLACK
- ***8' HD DOUBLE FUNCTION PATROL WING; TORSION TRIP WITH REAR LIFT SINGLE PUSH AR

WING OPTIONS:

WRAP AROUND CURB GUARD; 20#; S&I INSTALLED
D-CELL CYLINDER ILO STD CYLINDER
HYDRAULIC LOCK KIT
DOUBLE WNG MARKERS ON FRONT POST
SINGLE WING MARKER ON HEEL END OF WING

HYDRAULICS - LOADSENSE, PTO MOUNT, ELECTRIC, MMV; INSTL
PTO, HOTSHIFT; NEW WORLD TRANSMISSON

- ***AUGER HOSES MOUNTED ON PASS SIDE THREW SUBFRAME, SPINNER DRIVER SDIE
- TANK/ENCLOSURE, 35 GAL. COMBO, FRAME MOUNT, W/FILTR., STAINLESS STEEL; INSTL
- HOIST SECT; DA W/'A' PORT RELIEF, 40 GPM, ELEC, MMV; INSTALLED
- PLOW LIFT SECTION; DA, 21 GPM, ELEC, MMV; INSTALLED
- PLOW ANGLE SECTION; DA, 21 GPM, ELEC, MMV; INSTALLED
- WING TOE SECTION; DA, W/ 'A' PORT RELIEF, 21 GPM, MMV; INSTALLED
- WING HEEL SECTION; DA W/ 'A' PORT RELIEF, 21 GPM, MMV; INSTALLED
- INLET SECTION; LOADSENSE WITH RELIEF, MMV; INSTALLED
- OUTLET SECTION; 14 GPM AUGER X 4.5 GPM SPINNER, MMV; INSTALLED
- I-GRIP 270C SINGLE JOYSTICK CONTROL
- MPS; MAP, PROGRAM, & TEST; USE W/ MC270 IGRIP SYSTEM
- J1939 CAN MULTIPLEX OPERATION SYSTEM
- 2.7" COLOR DISPLAY
- 10 POSITION INCREMENTED ROTARY DIALS WITH ON SCREEN RATES FOR APPLICATION AND LANE WIDTH
- TIMED OR MOMENTARY BLAST SWITCH
- ELECTRIC OR HYD. LIQUID CAPABLE
- INTEGREL SWITCH PANEL W/4 PROGRAMMABLE SWITCHES (ON/OFF OR MOMENTARY)
- ON SCREEN INDICATOR FOR BODY UP, LOW OIL, HOT OIL

*** CONTINUED NEXT PAGE ***

MONROE TRUCK EQUIP - GREEN BAY
1151 WEST MAIN AVE
DE PERE WI 54115
800-848-5400 FAX 920-336-8118

CUSTOMER : 9020

QUOTE # 32611

Ship to: STURTEVANT VILLAGE OF
ATTN: CHUCK
2801 EIGHTY NINETH STREET
Sturtevant WI 53177

DATE: 06/02/09
CUST PO #
TERMS: C.O.D.
SALES REP: 28
QUOTED BY:

- COLOR CODED AND LABELED CABLES
- MOUNTED WITHIN EASY REACH OF OPERATOR

MONROE V60N-090-RH PUMP

STANDARD FEATURES:

- 5.5 CUBIC INCH 90CC LOAD SENSE
 - 48 GPM FLOW @ 2000 RPM
 - 5,000 PSI OPERATING PRESSURE
 - DIN ISO 14 MOUNT
- V60N PUMP, PTO MOUNT, 5.5 CU.IN., RH ROT., DIN SPLINE; INSTL

MONROE 6" ONE-WAY FLIGHT UNDER-TAILGATE SPREADER

STANDARD EQUIPMENT:

- 7 GA. TROUGH
 - 1/4" END PLATES
 - FULL TOP & BOTTOM CLEAN-OUT
 - 6" AUGER DIAMETER
 - QUICK DETACH MOUNTING BRACKETS
 - TAILGATE SHIELDS
 - POLY SPINNER ASSEMBLY SELF LEVELING
 - STAINLESS STEEL
 - SPEED SENSOR IN AUGER MOTOR
- ***MS966OWDDSL ONE WAY DIRECT DRIVE SELF LEVELING SPINNER STAINLESS STEEL

ADDITIONAL SPREADER OPTIONS:

3 LIGHT L.E.D. BAR ASSEMBLY FOR TAILGATE SPREADER; STAINLESS STEEL; TE INSTALL

LIGHTING:

L.E.D. LIGHTING UPGRADE

INCLUDES:

- TWO (2) STOP, TURN & TAIL LAMPS
- FIVE (5) RED MARKER LAMPS

L.E.D. LIGHTING UPGRADE

FS TARGET TECH, L.E.D. SELF CONTAINED 2 LIGHT STROBE SYSTEM

***CLEAR WING LIGHT

***FS TARGET TECH, L.E.D. SELF CONTAINED STROBE MOUNT ON WING HEEL IN SS BOX

***STAINLESS STEEL BOX FOR WING STROBE LIGHT

***STAINLESS STEEL CUSTOM SALT SHIELDS

TOTAL QUOTE ----- 55,536.00

*** CONTINUED NEXT PAGE ***