

**RESOLUTION 2008-80**

10-15-08

**RESOLUTION BY THE STORM AND WASTEWATER COMMITTEE  
REVISING PREVIOUS AUTHORIZATION FOR CERTAIN DRAINAGE  
IMPROVEMENTS AT THE STURTEVANT DEPOT AND AWARDING A  
CONTRACT**

WHEREAS, there is a need to construct certain storm water and drainage improvements at the Sturtevant Depot; and

WHEREAS, bids have been received and the low bid exceeds the estimated cost of \$12,000 as authorized by Resolution 2008-71; and

WHEREAS, there is a need to authorize additional funds and authorize the awarding of contracts.

NOW THEREFORE, the Village Board of the Village of Sturtevant, Racine County, Wisconsin does hereby resolve:

1. That the awarding of a contract to Reesman’s Excavating & Grading, Inc. of Burlington, Wisconsin in the amount of \$15,734.10 for the work described in Exhibit A which is attached hereto and incorporated herein is authorized and approved and the Village President and the Village Clerk are authorized to sign any agreements or other documents necessary to carry out the intent of this resolution.
2. That the funds for said contract and said project are to be taken from account number: 203-51300-210.
3. That the total costs for the project shall not exceed \$20,000.00 which includes engineering, legal and administration and contingencies.
4. That this resolution amends, revises and supersedes Resolution 2008-71.

Adopted by the Village Board of the Village of Sturtevant, Racine County, Wisconsin, this 21<sup>st</sup> day of October, 2008.

Village of Sturtevant

By \_\_\_\_\_  
Steven Jansen, President

Attest \_\_\_\_\_  
Mary Hanstad, Village Clerk

EXHIBIT A  
RESOLUTION 2008-80

Depot Parking Area Drainage  
Village of Sturtevant  
Racine County, Wisconsin  
Project No. R07-0019-032

The Depot Parking Area Drainage project in the Village of Sturtevant consists of constructing storm sewer at the southwest corner of the Depot parking lot. A catch basin will be placed within the radius of an existing corner within the East Exploration Court right-of-way southwest of the Depot property. Curb and gutter will need to be replaced since it will be damaged due to the underground storm sewer construction and to facilitate drainage to the new catch basin. 12 inch reinforced concrete pipe will extend east 50 feet to the existing island of the Depot and connect to an existing catch basin. 12 inch storm sewer will also be extended from an existing catch basin located 190 feet north of the previously mentioned storm sewer and tie into a new catch basin at the north end of the existing curb and gutter. Inlet protection is required for erosion control and lawn restoration and pavement replacement is required to restore the damage due to construction.